

Mean Change From Baseline Redness Scores Following Pre-Treatment With Either 1% HBP Or Saline F1G. 1




Mean Change From Baseline Redness Scores Following Pre-Treatment With Either 6% HBP Or Saline FIG. 2



Time Post Challenge with Compound 48/80 (min)

Mean Change From Baseline Redness Scores Following Pre-Treatment With Either 10% HBP Or Saline F1G. 3




Time Post Challenge with Compound 48/80 (min)

Mean Change From Baseline Chemosis Scores Following Pre-Treatment With Either 6% HBP Or Saline F1G. 4

	24 Hrs	00.00	0.00
	8 Hrs	0.13	0.38
, ,	60 Min	1.38	1.50
, ,	20 Min	0.38	88.0
/	10 Min	0.50	1.00
	5 Min	0.13	0.25
	3 Min	0.00	00.00
000	00.0	%9 HBP 6%	Saline Sa
		10 Min 20 Min 60 Min 8 Hrs	3 Min 5 Min 10 Min 20 Min 60 Min 8 Hrs 0.00 0.13 0.50 0.38 1.38 0.13

Time Post Challenge with Compound 48/80 (min)


FIG. 5
Mean Change From Chemosis Scores Following
Pre-Treatment With Either 10% HBP Or Saline



Time Post Challenge with Compound 48/80 (min)

FIG. 6

And Then Challenge with 48/80 8 Hours Following Dosing One Week Loading With Either 6% HBP (EV131) Or Saline Mean Change From Baseline Redness Scores Following



Time Post Challenge with Compound 48/80 (min)